

Carbon Landscape Willow Tit Survey



Recorder name(s)		1km square e.g. SJ6796	
Site name		Main woodland type for 1km square	
Date e.g. 05/05/2018		Start time e.g. 10:15 hrs	End time e.g. 12:15 hrs

IMPORTANT | The habitat survey [H] only needs to be carried out once per year (not on both survey visits).

Survey points	Point 1	Point 2	Point 3			
Grid reference e.g. SJ 6745 9669						
Count 0 = Absent; P = Present heard only; Number = Count						
Breeding code e.g. T = Territory; B = Nest Building						
Other birds present e.g. B = Blackbird; BT = Blue tit; CC = Chiffchaff; CH = Chaffinch; GS = Great spotted woodpecker; GT = Great tit; LS = Lesser spotted woodpecker; LE = Long-eared owl; LT = Long-tailed tit; R = Robin; SH = Sparrowhawk; WW = Willow warbler						
[H] Primary canopy (>5m) main species e.g. Al = Alder; As = Ash; Be = Beech; Bi = Birch; Ch = Cherry; Li = Lime; CW = Crack willow; Go = Goat willow; Cr = Grey willow; WW = White willow; HC = Horse chestnut; FM = Field maple; Po = Poplar; Ro = Rowan; W = Willow; Oa = Oak; Sy = Sycamore; Ye = Yew						
[H] Understorey (2-5m) main species e.g. Bl = Blackthorn; El = Elder; Hl = Hazel; Hn = Hawthorn; Ho = Holly; Ro = Rowan; Rs = Rose						
[H] Ground cover main species e.g. Bb = bluebell; Bk = Bracken; Br = Bramble; Fe = Ferns; Gr = Grasses; HB = Himalayan Balsam; Mo = Moss; Ne = Nettles; Ra = Ramsons (wild garlic); Wi = Willowherb						
[H] Canopy cover total %	%	%	%			
[H] Open ground habitat and distance in 200m ² e.g. B 30m (grassland and marsh at 30m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)
[H] Open water type and distance in 200m ² e.g. DI 60m (ditch at 60m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)

Standing Dead Wood

[H] % of total wood which is dead	%	%	%
[H] % of dead wood which is vertical	%	%	%
[H] % of dead wood angled at circa. 45°	%	%	%
[H] % of dead wood which is horizontal	%	%	%
[H] Rot score (1 to 5)			

[H] Horizontal Visibility (1 to 5)			
[H] Soil Moisture (1 to 5)			

Carbon Landscape Willow Tit Survey



IMPORTANT | The habitat survey [H] only needs to be carried out once per year (not on both survey visits).

Survey points	Point 4	Point 5	Point 6			
Grid reference e.g. SJ 6745 9669						
Count 0 = Absent; P = Present heard only; Number = Count						
Breeding code e.g. T = Territory; B = Nest Building						
Other birds present e.g. B. = Blackbird; BT = Blue tit; CC = Chiffchaff; CH = Chaffinch; GS = Great spotted woodpecker; GT = Great tit; LS = Lesser spotted woodpecker; LE = Long-eared owl; LT = Long-tailed tit; R. = Robin; SH = Sparrowhawk; WW = Willow warbler						
[H] Primary canopy main species e.g. Al = Alder; As = Ash; Be = Beech; Bi = Birch; Ch = Cherry; Li = Lime; CW = Crack willow; Go = Goat willow; Gr = Grey willow; WW = White willow; HC = Horse chestnut; FM = Field maple; Po = Poplar; Ro = Rowan; W = Willow; Oa = Oak; Sy = Sycamore; Ye = Yew						
[H] Understorey (2-5m) main species e.g. Bl = Blackthorn; El = Elder; Hl = Hazel; Hn = Hawthorn; Ho = Holly; Ro = Rowan; Rs = Rose						
[H] Ground cover main species e.g. Bb = bluebell; Bk = Bracken; Br = Bramble; Fe = Ferns; Gr = Grasses; HB = Himalayan Balsam; Mo = Moss; Ne = Nettles; Ra = Ramsons (wild garlic); Wi = Willowherb						
[H] Canopy cover total %	%	%	%			
[H] Open ground habitat and distance in 200m ² e.g. B 30m (grassland and marsh at 30m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)
[H] Open water type and distance in 200m ² e.g. DI 60m (ditch at 60m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)

Standing Dead Wood

[H] % of total wood which is dead	%	%	%
[H] % of dead wood which is vertical	%	%	%
[H] % of dead wood angled at circa. 45°	%	%	%
[H] % of dead wood which is horizontal	%	%	%
[H] Rot score (1 to 5)			

[H] Horizontal Visibility (1 to 5)			
[H] Soil Moisture (1 to 5)			

Carbon Landscape Willow Tit Survey



IMPORTANT | The habitat survey [H] only needs to be carried out once per year (not on both survey visits).

Survey points	Point 7	Point 8	Point 9			
Grid reference e.g. SJ 6745 9669						
Count 0 = Absent; P = Present heard only; Number = Count						
Breeding code e.g. T = Territory; B = Nest Building						
Other birds present e.g. B. = Blackbird; BT = Blue tit; CC = Chiffchaff; CH = Chaffinch; GS = Great spotted woodpecker; GT = Great tit; LS = Lesser spotted woodpecker; LE = Long-eared owl; LT = Long-tailed tit; R. = Robin; SH = Sparrowhawk; WW = Willow warbler						
[H] Primary canopy main species e.g. Al = Alder; As = Ash; Be = Beech; Bi = Birch; Ch = Cherry; Li = Lime; CW = Crack willow; Go = Goat willow; Gr = Grey willow; WW = White willow; HC = Horse chestnut; FM = Field maple; Po = Poplar; Ro = Rowan; W = Willow; Oa = Oak; Sy = Sycamore; Ye = Yew						
[H] Understorey (2-5m) main species e.g. Bl = Blackthorn; El = Elder; Hl = Hazel; Hn = Hawthorn; Ho = Holly; Ro = Rowan; Rs = Rose						
[H] Ground cover main species e.g. Bb = bluebell; Bk = Bracken; Br = Bramble; Fe = Ferns; Gr = Grasses; HB = Himalayan Balsam; Mo = Moss; Ne = Nettles; Ra = Ramsons (wild garlic); Wi = Willowherb						
[H] Canopy cover total %	%	%	%			
[H] Open ground habitat and distance in 200m ² e.g. B 30m (grassland and marsh at 30m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)
[H] Open water type and distance in 200m ² e.g. DI 60m (ditch at 60m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)

Standing Dead Wood

[H] % of total wood which is dead	%	%	%
[H] % of dead wood which is vertical	%	%	%
[H] % of dead wood angled at circa. 45°	%	%	%
[H] % of dead wood which is horizontal	%	%	%
[H] Rot score (1 to 5)			

[H] Horizontal Visibility (1 to 5)			
[H] Soil Moisture (1 to 5)			

Carbon Landscape Willow Tit Survey



IMPORTANT | The habitat survey [H] only needs to be carried out once per year (not on both survey visits).

Survey points	Point 10	Point 11	Point 12			
Grid reference e.g. SJ 6745 9669						
Count 0 = Absent; P = Present heard only; Number = Count						
Breeding code e.g. T = Territory; B = Nest Building						
Other birds present e.g. B. = Blackbird; BT = Blue tit; CC = Chiffchaff; CH = Chaffinch; GS = Great spotted woodpecker; GT = Great tit; LS = Lesser spotted woodpecker; LE = Long-eared owl; LT = Long-tailed tit; R. = Robin; SH = Sparrowhawk; WW = Willow warbler						
[H] Primary canopy main species e.g. Al = Alder; As = Ash; Be = Beech; Bi = Birch; Ch = Cherry; Li = Lime; CW = Crack willow; Go = Goat willow; Gr = Grey willow; WW = White willow; HC = Horse chestnut; FM = Field maple; Po = Poplar; Ro = Rowan; W = Willow; Oa = Oak; Sy = Sycamore; Ye = Yew						
[H] Understorey (2-5m) main species e.g. Bl = Blackthorn; El = Elder; Hl = Hazel; Hn = Hawthorn; Ho = Holly; Ro = Rowan; Rs = Rose						
[H] Ground cover main species e.g. Bb = bluebell; Bk = Bracken; Br = Bramble; Fe = Ferns; Gr = Grasses; HB = Himalayan Balsam; Mo = Moss; Ne = Nettles; Ra = Ramsons (wild garlic); Wi = Willowherb						
[H] Canopy cover total %	%	%	%			
[H] Open ground habitat and distance in 200m ² e.g. B 30m (grassland and marsh at 30m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)
[H] Open water type and distance in 200m ² e.g. DI 60m (ditch at 60m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)

Standing Dead Wood

[H] % of total wood which is dead	%	%	%
[H] % of dead wood which is vertical	%	%	%
[H] % of dead wood angled at circa. 45°	%	%	%
[H] % of dead wood which is horizontal	%	%	%
[H] Rot score (1 to 5)			

[H] Horizontal Visibility (1 to 5)			
[H] Soil Moisture (1 to 5)			

Carbon Landscape Willow Tit Survey



IMPORTANT | The habitat survey [H] only needs to be carried out once per year (not on both survey visits).

Survey points	Point 13	Point 14	Point 15			
Grid reference e.g. SJ 6745 9669						
Count 0 = Absent; P = Present heard only; Number = Count						
Breeding code e.g. T = Territory; B = Nest Building						
Other birds present e.g. B. = Blackbird; BT = Blue tit; CC = Chiffchaff; CH = Chaffinch; GS = Great spotted woodpecker; GT = Great tit; LS = Lesser spotted woodpecker; LE = Long-eared owl; LT = Long-tailed tit; R. = Robin; SH = Sparrowhawk; WW = Willow warbler						
[H] Primary canopy main species e.g. Al = Alder; As = Ash; Be = Beech; Bi = Birch; Ch = Cherry; Li = Lime; CW = Crack willow; Go = Goat willow; Gr = Grey willow; WW = White willow; HC = Horse chestnut; FM = Field maple; Po = Poplar; Ro = Rowan; W = Willow; Oa = Oak; Sy = Sycamore; Ye = Yew						
[H] Understorey (2-5m) main species e.g. Bl = Blackthorn; El = Elder; Hl = Hazel; Hn = Hawthorn; Ho = Holly; Ro = Rowan; Rs = Rose						
[H] Ground cover main species e.g. Bb = bluebell; Bk = Bracken; Br = Bramble; Fe = Ferns; Gr = Grasses; HB = Himalayan Balsam; Mo = Moss; Ne = Nettles; Ra = Ramsons (wild garlic); Wi = Willowherb						
[H] Canopy cover total %	%	%	%			
[H] Open ground habitat and distance in 200m ² e.g. B 30m (grassland and marsh at 30m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)
[H] Open water type and distance in 200m ² e.g. DI 60m (ditch at 60m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)

Standing Dead Wood

[H] % of total wood which is dead	%	%	%
[H] % of dead wood which is vertical	%	%	%
[H] % of dead wood angled at circa. 45°	%	%	%
[H] % of dead wood which is horizontal	%	%	%
[H] Rot score (1 to 5)			

[H] Horizontal Visibility (1 to 5)			
[H] Soil Moisture (1 to 5)			

Carbon Landscape Willow Tit Survey



IMPORTANT | The habitat survey [H] only needs to be carried out once per year (not on both survey visits).

Survey points	Point 16	Point 17	Point 18			
Grid reference e.g. SJ 6745 9669						
Count 0 = Absent; P = Present heard only; Number = Count						
Breeding code e.g. T = Territory; B = Nest Building						
Other birds present e.g. B. = Blackbird; BT = Blue tit; CC = Chiffchaff; CH = Chaffinch; GS = Great spotted woodpecker; GT = Great tit; LS = Lesser spotted woodpecker; LE = Long-eared owl; LT = Long-tailed tit; R. = Robin; SH = Sparrowhawk; WW = Willow warbler						
[H] Primary canopy main species e.g. Al = Alder; As = Ash; Be = Beech; Bi = Birch; Ch = Cherry; Li = Lime; CW = Crack willow; Go = Goat willow; Gr = Grey willow; WW = White willow; HC = Horse chestnut; FM = Field maple; Po = Poplar; Ro = Rowan; W = Willow; Oa = Oak; Sy = Sycamore; Ye = Yew						
[H] Understorey (2-5m) main species e.g. Bl = Blackthorn; El = Elder; Hl = Hazel; Hn = Hawthorn; Ho = Holly; Ro = Rowan; Rs = Rose						
[H] Ground cover main species e.g. Bb = bluebell; Bk = Bracken; Br = Bramble; Fe = Ferns; Gr = Grasses; HB = Himalayan Balsam; Mo = Moss; Ne = Nettles; Ra = Ramsons (wild garlic); Wi = Willowherb						
[H] Canopy cover total %	%	%	%			
[H] Open ground habitat and distance in 200m ² e.g. B 30m (grassland and marsh at 30m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)
[H] Open water type and distance in 200m ² e.g. DI 60m (ditch at 60m)	Code	Distance(m)	Code	Distance(m)	Code	Distance(m)

Standing Dead Wood

[H] % of total wood which is dead	%	%	%
[H] % of dead wood which is vertical	%	%	%
[H] % of dead wood angled at circa. 45°	%	%	%
[H] % of dead wood which is horizontal	%	%	%
[H] Rot score (1 to 5)			

[H] Horizontal Visibility (1 to 5)			
[H] Soil Moisture (1 to 5)			